## gorenje

BY SHARCK®

DESIGNED BY SHARCK, DEFINED BY YOU. Gorenje's new collection of kitchen appliances is designed by one of the most unique creators acknowledged worldwide, Philippe Starck. It is built with the highest technologies and cutting edge energy efficiency.

The collection is composed of a comprehensive range of ovens, hobs, hoods, refrigerators and other appliances all in 100% matching design whose elegance lies in "the discretion of its high quality and its pure lines."

The minimalistic design with high-end reflective glass and stainless steel will blend smoothly with its environment and will literally become a reflection of your lifestyle and personality.

Carefully selected details like metal effects of stainless steel and orange handles with their reflections will bring an extra spark of life and an elegant final touch to your kitchen.

"With this collection we solved the paradox: to create appliances that are technologically impeccable and still have a cozy, warm and human feeling to them."

Philippe Starck

Discover the collection and create your own, high-end unique kitchen.







Philippe Starck is an internationally acclaimed French creator.

His profound comprehension of contemporary mutations, his love of ideas, his desire to defend the intelligence of usefulness – and the same usefulness of intelligence – have accompanied one iconic creation after the other. From everyday products such as furniture and lemon squeezers, to revolutionary mega-yachts, individual windmills, electric bikes or hotels and restaurants that aspire to be wondrous, stimulating and intensely vibrant places.

His 10.000 creations, his global fame and his tireless protean inventiveness, never made him forget the essential, his mission and vision: creation, whatever shape it takes, must make life better for the largest number of people possible, through objects to be "good" before being "beautiful".

"Every object, every shape, every style must have a meaning, and it is this meaning that influences us every day."

Philippe Starck

By designing his first collection with Gorenje, Philippe Starck confirms his duty to serve his community by providing the best quality at the right price, with products created with Intelligence, Quality and Honesty.

Always placing the users at the heart of his creative process, the Gorenje by S+ARCK kitchen line was designed to match and reflect every lifestyle and personality.





# OVENS

Express your creativity with one of the largest capacities available and enjoy the perfect results of MultiFlow 360° ventilation system.







## HomeMade shape

Traditional wood-burning style dishes in the modern environment of your home

The characteristic rounded shape is one of the most beneficial features of Gorenje ovens. Inspired by traditional wood-burning ovens, it enables hot air to move around freely. Since the food is heated evenly and from all sides, it is always perfectly done: crispy on the outside and juicy on the inside. Combined with the MultiFlow 360° ventilation system, it makes baking on all 5 levels possible.



MultiFlow 360° guarantees the optimal circulation of heat within the oven. Due to smartly positioned ventilation openings on the back wall and the unique round shape, air is spread evenly throughout the oven. The fan pushes hot air around the entire oven volume, making the food perfectly baked on all sides. The dynamic air movement allows simultaneous baking on many levels without smells and flavours mixing together.







## BigSpace Impress with your creativity


The new Gorenje by Starck oven conceals a shape within the upper part. Now the optimised airflow circulates inside at an even greater volume, circling completely freely. The increased capacity allows preparation of larger baking trays and larger quantities of food, while their outside dimensions remain the same. Now you can use up to 5 levels at the same time. Capacities range up to 75 l in standard ovens and up to 53 l in microwave ovens, which is amongst the largest available on the market.





## GentleClose Your kitchen, smooth & silent

Only a soft touch is needed to close the oven door smoothly, without any noise.





## PyroClean

## So you can save time for more important things

Pyrolytic cleaning is the most efficient and advanced way to clean an oven. The high cleaning temperature of up to 500°C leaves the oven completely clean, without a spot of grease. Gentle cleaning is over in 90 minutes, medium intensity cleaning ends in 120 minutes, while very intensive cleaning takes only 150 minutes where the effect is according to the duration. At the end, only the leftovers need to be wiped away. The oven is locked during and immediately after the cleaning process, which makes it family-friendly.





## DirecTOUCH


Perfect results are always at your fingertips

Simple oven control by touching a screen. Large and intelligible symbols take the remarkable technology to another level with clarity and simplicity of use.

## MICROWAVE OVENS

Take care of every detail and serve professional dishes in the privacy of your home.







Because of Inverter technology the energy is evenly distributed instead of pulsating. As a result, the food retains its initial structure, including its vitamins, minerals and fibres. The advantages of the even energy distribution are particularly welcome when reheating or defrosting, and when cooking liquids. The overall microwaving time is shorter, which lowers energy consumption as well.





The Stirrer technology permits a standard-size baking tray to be placed in a microwave oven. The oven's entire width is used, saying goodbye to conventional turntables and uneven heating. The advanced microwave distribution system heats the food uniformly across the entire volume.





Number of preset programs enables even simpler preparation of certain dishes. Just select the type of food and enter its weight, and the oven will automatically adjust the power and cooking time accordingly.



## MultiUse

## Enjoy all the advantages of combined operation

Built-in combined and microwave ovens deliver all the advantages of microwaves, hot air, and grill. The multi-level microwave power setting speeds up the cooking process while the hot air makes sure the food is well done. Combined operation, using grill and hot air at the same time, leads to excellent results when cooking large chunks of white meat, while grill and microwave combination will speed up roasting smaller chunks of meat, baking pizzas etc. Built-in microwave oven can also be used as a conventional oven.





Modern sensor technology allows simple opening of the microwave oven just by touching an symbol control pannel. The whole surface remains perfectly smooth with pure and simple forms.

# HOBS

Prepare your favourite dishes in no time with the extremely time-efficient induction hob with PowerBoost Supreme system.







XpandZone allows cooking on almost the entire surface of the induction hob. When the XpandZone mode is activated, the cooking zones on the left or right side of the hob are combined into one extra-large cooking zone. Combined cooking zones allow more space and freedom for cooking, space for larger cookware, or space for several smaller pots or pans that can be placed anywhere on the combined cooking zone.





Significantly improved gas burners provide up to 10% more efficient gas consumption.





PowerBoost Supreme provides extreme heat intensity to the pot and significantly cuts waiting time. It takes just 4.2 minutes to boil 2I of water, which is extremely time-efficient.





The wok burners reach a high heat very quickly, making Asian style cuisine and meals in big pots easy.

# HOODS

Keep your kitchen always fresh with a timer and AdaptTech sensor.








The sensor detects the level of impurities or steam, humidity and gases. The hood automatically adjusts the fan speed accordingly or even completely stops the fan when it is no longer needed.





## Touch on inox Everything is under your control

Gorenje's cutting edge sensor technology makes it possible for you to operate your inox hood quite literally with you fingertips. Since everything is hidden behind the inox, the whole surface remains perfectly smooth with pure and simple forms.





## Timer and refresh Keeps your kitchen always fresh

Gorenje hoods can be automatically switched off in 10, 20 or 30 minutes. The refresh function is activated every hour and automatically starts refreshing the air for five minutes.





## TouchFree coating Always a clear reflection of who you are

All stainless steel surfaces are coated with a special TouchFree film that prevents fingerprints markings, leaving the surface always shiny and making cleaning much easier.





## P.A.S. System Listen to only what you want to hear

The innovative parametric air suction system redirects air extraction from the central part to the outer edges of the hood. This approach optimises energy consumption, reduces noise and makes air extraction considerably more efficient.

# COOLING

Have just like garden-fresh food always at hand with humidity control and AdaptTech smart system.









Advanced technology in the refrigerators emulates the natural process of ionization to keep the food fresh longer. Negatively charged ions generated by the appliance continuously refresh the air to mimic a natural microclimate, thus creating the ideal environment for fresh food. The MultiFlow 360° ventilation system evenly distributes the ionized air through 14 ventilation slots to maintain constant temperature on every shelf.





This smart system was devised to maintain the optimum temperature in the refrigerator regardless of how frequently you open the door. When the door is opened, the temperature suddenly rises and the food is exposed to a thermal shock which in turn causes it to perish sooner. The refrigerator continuously monitors and analyzes the way you use it. Thus, it can predict when you will open the fridge door and just before you do, it decreases the temperature by 1 or 2 °C to make sure constant temperature is maintained and that the food stays fresh and full of nutrients.





One of the best cooling systems in the market, installed in the freezer compartment, prevents the accumulation of ice and frost to keep the power consumption low, while in the refrigerator compartment, it maintains an ideal microclimate for fresh food. Circulation of ionized air prevents the food from drying out and retains its vitamins and minerals.






CrispZone is one of the largest fruit and vegetables bins in the market, designed to preserve the nutrients and prolong the freshness of your food. Low temperature extend the freshness of your produce.





A special highly flexible shelf with special bottle retainers could be adapted to any need. It could be a shelf for storing food placed anywhere in the fridge or a special botle rack with design bottle retainers that can hold up to 9 bottless.

Make sure that your food tastes every bit as good as it should until serving.







## Warming drawer So you can easily take care of every detail

The functionality of compact ovens can be further upgraded by a warming drawer, available separately. The drawer is installed right under the oven, the entire composition fitting perfectly into the furniture element designed for classic built-in ovens. The drawer is used for warming dishware, but also food.



## StayWarm Keeps your cooking in perfect shape

The StayWarm function keeps food at a constant temperature of 70°C until the time is right to serve the meal. The food retains its original flavour and temperature until it is served.





Serve professional dishes in the comfort of your home

Warmed plates prevent the loss of flavour and ensure that food tastes every bit as good as it should: from soups to pastas and steamed vegetables. WarmPlate will keep your crockery at precisely the right temperature – anywhere between 30 and 80°C. Enjoy professional service in the privacy of your home!





A special function enables healthy yoghurt to be prepared at home. Automatic temperature and time settings provide optimal conditions that create homemade yoghurt in around 4 hours.



#### **BOP 747 ST**

Built-in pyrolytic multifunctional oven























- + Handle colour: Colour of brushed stainless steel
- + Control panel material: Glass
- + GentleClose door hinge

#### Efficiency

- + Multifunctional oven BigSpace 73 I
- + SuperSize baking area
- + HomeMADE® modelled on traditional wood-fired bread oven
- + PerfectGrill

+ Electronic control + Ergonomic knobs + IconTouch







+ Illumination + Baking on different levels at the same time + MultiFlow 360°

### **Equipment**

- + 1 deep enameled baking pan
- + 1 shallow enameled baking pan
- + Wire shelf
- + 1x wire guides
- + Fully extendable telescopic guides on three levels
- + MeatProbe option

#### Safety

- + Thermoelectric fuse
- + Dynamic oven cooling plus DC+
- + Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro+)

#### **EasyCleaning**

+ Pyrolytic cleaning + SilverMatte + Smooth oven door surface

#### **Technical data**

- + Energy consumption: 0,69 kWh (venting), 0,94 kWh (conventional)
- + Connected load: 3400 W
- + Dimensions (HxWxD): **59,5** × **59,5** × **54,6** cm
- + Niche dimensions (HxWxD): 59 × 56,4 × 55 cm



#### **BOP 658 ST**

Built-in pyrolytic multifunctional oven



- + Colour: Reflective grey
- + Handle colour: Colour of brushed stainless steel
- + Control panel material: Glass
- + GentleClose door hinge

#### **Efficiency**

- + Multifunctional oven BigSpace 65 I
- + SuperSize baking area
- + Surface of the largest baking pan: 1316 cm<sup>2</sup>
- + HomeMADE® modelled on traditional wood-fired bread oven
- + PerfectGrill

#### Control

+ Electronic control + DirecTouch

#### **Heating types**



#### **Features**

+ Illumination + Baking on different levels at the same time

- + 1 deep enameled pyrolytic baking pan
- + 1 shallow enamelled pyrolytic pan
- + Wire shelf
- + Pyrolytic wire guides

- + Thermoelectric fuse
- + Dynamic oven cooling plus DC+
- + Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)

+ Pyrolytic cleaning + SilverMatte + Smooth oven door surface

- + Energy consumption: 0,66 kWh (venting), 0,92 kWh (conventional)
- + Connected load: 3300 W
- + Dimensions (HxWxD): 59,5 × 59,7 × 54,7 cm
- + Niche dimensions (HxWxD):  $58,3-60 \times 56,4-56,8 \times 55$  cm



#### **BO 637 ST**

Built-in multifunctional oven



















- + Colour: Reflective grey
- + Handle colour: Colour of brushed stainless steel
- + Control panel material: Glass
- + GentleClose door hinge

#### Efficiency

- + Multifunctional oven BigSpace 67 I
- + SuperSize baking area
- + Surface of the largest baking pan: 1316 cm<sup>2</sup>
- + HomeMADE® modelled on traditional wood-fired bread oven
- + PerfectGrill

#### Control

+ Mechanic temperature control + Ergonomic knobs + IconLed

#### **Heating types**





+ Illumination + Baking on different levels at the same time

- + 1 deep enameled baking pan
- + 1 shallow enameled baking pan
- + Wire shelf
- + Partially extendable telescopic guides on one level

- + Thermoelectric fuse
- + Dynamic oven cooling plus DC+
- + Double glazed oven door with one heat deflector (CompactDoor)

+ AquaClean function + SilverMatte + Smooth oven door surface

#### **Technical data**

- + Energy consumption: 0,85 kWh (venting), 0,92 kWh (conventional)
- + Connected load: 3300 W
- + Dimensions (HxWxD): 59,5 × 59,7 × 54,7 cm
- + Niche dimensions (HxWxD): 58,3-60 x 56-56,8 x 55 cm



### **BO 547 ST**

Built-in multifunctional compact oven



















- + Colour: Reflective grev
- + Handle colour: Colour of brushed stainless steel
- + Control panel material: Glass
- + GentleClose door hinge

#### Efficiency

- + Multifunctional oven 51 I
- + SuperSize baking area
- + HomeMADE® modelled on traditional wood-fired bread oven
- + PerfectGrill

+ Electronic control + Ergonomic knobs + IconTouch

#### **Heating types**

















### **Features** + Illumination + Baking on different levels at the same time + MultiFlow 360°

- **Equipment**
- + 1 deep enameled baking pan
- + 1 shallow enameled baking pan
- + Wire shelf
- + Partially extendable telescopic guides on one level

#### Safety

- + Thermoelectric fuse
- + Dynamic oven cooling plus DC+
- + Triple glazed oven door with double heat deflector (UltraCoolDoor)
- + Mechanic door safety bolt

+ AquaClean function + SilverMatte + Smooth oven door surface

- + Energy consumption: 0,62 kWh (venting), 0,83 kWh (conventional)
- + Connected load: 2600 W
- + Dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
- + Niche dimensions (HxWxD): 45 × 56 × 55 cm



#### **BCM 547 ST**

Built-in combined compact microwave oven



















- + Colour: Reflective grey
- + Handle colour: Colour of brushed stainless steel
- + Control panel material: Glass
- + Classic door hinge

### Efficiency

- + Combined microwave oven 50 I
- + SuperSize baking area
- + HomeMADE® modelled on traditional wood-fired bread oven
- + Microwave power: 1000 W

+ Electronic control + Ergonomic knobs + IconTouch

#### **Heating types**







+ MultiUse + Inverter technology + Stirrer technology + Illumination + Baking on different levels at the same time + MultiFlow 360°

### **Equipment**

- + 1 shallow enameled baking pan
- + 1 glass baking pan
- + Wire shelf
- + 1x wire guides

#### Safety

- + Thermoelectric fuse
- + Dynamic oven cooling plus DC+
- + Triple glazing with a protective grid

+ AquaClean function + SilverMatte + Smooth oven door surface

#### **Technical data**

- + Connected load: 3000 W
- + Dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
- + Niche dimensions (HxWxD): 45 × 56 × 55 cm





#### **WD 14 ST** Warming drawer





+ Colour: Reflective grey

+ Number of servings:

Set for 6 persons or 20 dishes in diameter 28 cm or 80 coffee cups or 40 tea cups

#### Control

- + Warming of plates
- + Warming of cups + Heat preservation
- + Defrosting of food
- + Yogurt
- + Manual setting of temperature and timer

- + Air vented circulation
- + Time setting: Stop
- + Touch control
- + Temperature setting + Telescopic pull-out mechanism
- + Cold front
- + Drawer bottom: Glass

#### Equipment

- + 1 shallow enameled baking pan
- + 1 glass baking pan
- + Wire shelf
- + 1x wire guides

- + Usable volume: 19,8 I
- + Temperature range: 40 80 °C
- + Timer range: 60 240 min
- + Connected load: 410 W
- + Dimensions (HxWxD): 14 × 59,5 × 56 cm
- + Niche dimensions (HxWxD): 14 × 56-56,8 × 55 cm



#### **BM 251 ST**

Built-in microwave oven









- + Colour: Reflective grey
- + Front panel material: Glass
- + Door material: Glass
- + Stainless steel oven interior
- + Door opening: Left door opening
- + Door open type: On touch
- + Oven doors: Double-glazed oven door

### Efficiency

- + Oven volume: 25 I
- + Microwave power: 900 W
- + Power of upper infra heater: 1000 W
- + Number of infra heaters: 1
- + Technology of producing microwaves: Standard technology (HVT)
- + Type of microwave distribution: Rotating plate

#### Control

- + Electronic control
- + TouchControl
- + LCD display

#### **Heating types**



+ Combined heating: Microwaves + grill

#### Features

- + AUTO menu
- + Time display

#### Equipment

- + Rotating glass plate
- + Rotating grid

#### Safety

+ Door safety bolt

#### Technical data

- + Connected load: 1450 W
- + Frame dimensions (HxWxD): 595 × 390 × 20 mm
- + Dimensions (HxWxD):  $38.8 \times 59.5 \times 41$  cm
- + Niche dimensions (HxWxD): 38 × 56,7 × 43 cm



### MO 23 ST

Freestanding microwave oven









- + Colour: Reflective grey
- + Front panel material: Glass
- + Door material: Glass
- + Stainless steel oven interior
- + Door opening: Left door opening
- + Door open type: Handle
- + Oven doors: Double-glazed oven door

### Efficiency

- + Oven volume: 23 I
- + Microwave power: 900 W
- + Power of upper infra heater: 1200 W
- + Number of infra heaters: 1
- + Technology of producing microwaves: Standard technology (HVT)
- + Type of microwave distribution: Rotating plate

#### Control

- + Electronic control
- + TouchControl
- + LED display
- + SmartControl

### Heating types



+ Combined heating: Microwaves + grill

#### Features

- + AUTO menu
- + Preinstalled programmes: 8
- + Defrost function by weight
- + Function Smart display
- + Start preset
- + Time display

#### Equipment

- + Rotating glass plate
- + Rotating grid

#### Safety

- + ChildLock
- + Door safety bolt

- + Connected load: 1450 W
- + Dimensions (HxWxD): **30,3 × 51 × 42,5 cm**



#### **IS 756 ST** Induction hob



- + Colour: Black / Chrome
- + Aluminium hob edges

#### Control

- + SliderTouch, control at your fingertips
- + Timer function

#### **Features**

- + StayWarm function
- + PowerBoost Supreme
- + XpandZone 2x

### Cooking surface

+ 4 induction heating zones Left front: Ø 20×20 cm, 1,8/3 kW Right front: Ø 20×20 cm, 1,8/3 kW Left behind: Ø 20×20 cm, 1,8/3 kW Right behind: Ø 20×20 cm, 1,8/3 kW

#### Safety and durability

- + Safety control hob lock
- + ChildLock

#### Technical data

- + Connected load: 7200 W
- + Dimensions (HxWxD):  $5.6 \times 75 \times 52$  cm
- + Niche dimensions (HxWxD): 6,4 x 56 x 49 cm



#### **IS 655 ST** Induction hob



- + Colour: Black / Chrome
- + Aluminium hob edges

#### Control

- + SliderTouch, control at your fingertips
- + Timer function

#### **Features**

- + StayWarm function
- + PowerBoost Supreme + XpandZone - 1x


### Cooking surface

+ 4 induction heating zones Left front: Ø 20×20 cm, 1,8/3 kW Right front: Ø 20×20 cm, 1,8/3 kW Left behind: Ø 20×20 cm, 1,8/3 kW Right behind: Ø 20×20 cm, 1,8/3 kW

#### Safety and durability

- + Safety control hob lock
- + ChildLock

- + Connected load: 7200 W
- + Dimensions (HxWxD):  $5.6 \times 59.5 \times 52$  cm
- + Niche dimensions (HxWxD): 6,4 × 56 × 49 cm



#### IS 634 ST Induction hob

















+ Aluminium hob edges

#### Control

- + SliderTouch, control at your fingertips
- + Timer function

#### Features

- + StopGo function
- + PowerBoost function
- + AllBoost
- + Silent operation SuperSilent

#### Cooking surface

+ 4 induction heating zones Left front: Ø 18,5 cm, 1,4/2 kW Right front: Ø 16,5 cm, 1,2/1,4 kW Left behind: Ø 16,5 cm, 1,2/1,4 kW Right behind: Ø 20,5 cm, 2/2,3 kW

#### Safety and durability

- + Residual heat indicator
- + ChildLock

#### **Technical data**

- + Connected load: 7100 W
- + Dimensions (HxWxD):  $6.2 \times 59.5 \times 52$  cm
- + Niche dimensions (HxWxD): 7 x 55,8-56 x 49 cm



#### GCW 751 ST Gas on glass ceramic







+ Colour: Black / Chrome

#### Control

+ Ergonomic knobs

#### Features

- + High efficiency burners
- + Wok triple burner

#### Cooking surface

- + One-hand ignition device for hob
- + 1 auxiliary burner + 1 large burner + 2 normal burners + 1 wok burner
  Left front: Ø 6,7 cm, 1,75 kW
  Right front: Ø 4,3 cm, 1 kW
  Left behind: Ø 6,7 cm, 1,75 kW
  Right behind: Ø 9,7 cm, 3 kW
  Center: Ø 13,44 cm, 3,8 kW
- + Type of pan support: Cast iron grid

#### Safety and durability

+ Safety function

- + Dimensions (HxWxD): 11,1 × 75 × 52 cm
- + Niche dimensions (HxWxD): **7 × 72 × 48 cm**



## GCW 641 ST

Gas on glass ceramic







+ Colour: Black / Chrome

#### Control

+ Ergonomic knobs

#### **Features**

- + High efficiency burners
- + Wok triple burner

#### **Cooking surface**

- + One-hand ignition device for hob
- + 2 standard burners + 1 auxiliary burner + 1 triple burner Left front: Ø 10,3 cm, 3,3 kW Right front: Ø 4,3 cm, 1 kW Left behind: Ø 6,7 cm, 1,75 kW Right behind: Ø 6,7 cm, 1,75 kW
- + Type of pan support: Cast iron grid

#### Safety and durability

+ Safety function

#### **Technical data**

- + Dimensions (HxWxD): 11,1 × 59,5 × 52 cm
- + Niche dimensions (HxWxD): 7 × 56 × 48 cm



#### **WHI 941 ST**

Freestanding wall hood













- + Venting with air extraction or recirculation
- + Material of housing/chimney: Stainless steel and glass / Stainless steel
- + Colour of housing/chimney: Stainless steel

#### Efficiency

- + Maximum extraction rate by extraction operation: 508 m³/h
- + Maximum extraction rate by recirculation operation: 485 m³/h
- + Venting tube diameter: 15 cm

#### The capacity of ventilator

- + Air flow by extraction version, step 1: 250 m³/h
- + Air flow by extraction version, step 2: 364 m³/h
- + Air flow by extraction version, step 3: 508 m³/h
- + Airflow boost position (PowerBoost 1) extraction: 663 m³/h + Airflow boost position (PowerBoost 2) - extraction: 732 m³/h
- + Number of PowerBoost functions: 2

#### Control

- + AdaptTech: Automatic fan operation
- + Electronic control
- + Control setting: Touch control
- + Timer function
- + Number of speed positions: 3

#### Features

- + TouchFree Inox
- + Constant ventilation ReFresh
- + Lamp type: Led strip
- + On/off light switch
- + Number of lights: 1 x 6 W
- + Air purifing function
- + Perimetric suction

#### **Equipment**

- + Filter material: Aluminium
- + Grease filter indicator + Washable grease filter
- + Number of motors: 1
- + Motor type: Capacitor motor
- + No return airflow flap: 150 mm

- + Noise level (max.): 59 dB(A)re 1 pW
- + Product dimensions (WxD): 90 × 47 cm
- + Height: 450 mm
- + Min. height of the chimney: 995 mm
- + Max. height of the chimney: 1275 mm
- + Annual energy consumption: 50,8 kWh



### WHI 641 ST

Freestanding wall hood













- + Venting with air extraction or recirculation
- + Material of housing/chimney: Stainless steel and glass / Stainless steel
- + Colour of housing/chimney: Stainless steel

#### Efficiency

- + Maximum extraction rate by extraction operation: 508 m³/h
- + Maximum extraction rate by recirculation operation: 485 m³/h
- + Venting tube diameter: 15 cm

#### The capacity of ventilator

- + Air flow by extraction version, step 1: 250 m<sup>3</sup>/h
- + Air flow by extraction version, step 2: 364 m³/h
- + Air flow by extraction version, step 3: 508 m<sup>3</sup>/h
- + Airflow boost position (PowerBoost 1) extraction: 663 m³/h
- + Airflow boost position (PowerBoost 2) extraction: 732 m³/h
- + Number of PowerBoost functions: 2

#### Contro

- + AdaptTech: Automatic fan operation
- + Electronic control
- + Control setting: Touch control
- + Timer function
- + Number of speed positions: 3

#### Features

- + TouchFree Inox
- + Constant ventilation ReFresh
- + Lamp type: Led strip
- + On/off light switch
- + Number of lights: 1 x 6 W
- + Air purifing function
- + Perimetric suction

#### **Equipment**

- + Filter material: Aluminium
- + Grease filter indicator+ Washable grease filter
- + Number of motors: 1
- + Motor type: Capacitor motor
- + No return airflow flap: 150 mm

#### Technical data

- + Noise level (max.): 59 dB(A)re 1 pW
- + Product dimensions (WxD): 60 × 47 cm
- + Height: 450 mm
- + Min. height of the chimney: 995 mm
- + Max. height of the chimney: 1275 mm
- + Annual energy consumption: 50,8 kWh



#### **WHT 941 ST**

Freestanding wall hood













- + Venting with air extraction or recirculation
- + Material of housing/chimney: Stainless steel and glass / Stainless steel
- + Colour of housing/chimney: Stainless steel

#### Efficiency

- + Maximum extraction rate by extraction operation: 475 m³/h
- + Maximum extraction rate by recirculation operation: 385 m³/h
- + Venting tube diameter: 15 cm

#### The capacity of ventilator

- + Air flow by extraction version, step 1: 250 m³/h
- + Air flow by extraction version, step 2: 339 m³/h
- + Air flow by extraction version, step 3: 475 m³/h
- + Airflow boost position (PowerBoost 1) extraction: 657 m³/h
- + Airflow boost position (PowerBoost 2) extraction: 755 m³/h
- + Number of PowerBoost functions: 2

#### Contro

- + AdaptTech: Automatic fan operation
- + Electronic control
- + Control setting: Touch control
- + Timer function
- + Number of speed positions: 3

#### Features

- + TouchFree Inox
- + Constant ventilation ReFresh
- + Lamp type: Led strip
- + On/off light switch
- + Number of lights: 2 x 10 W
- + Air purifing function
- + Perimetric suction

#### Equipment

- + Filter material: Aluminium
- + Grease filter indicator + Washable grease filter
- + Number of motors: 1
- + Motor type: Capacitor motor
- + No return airflow flap: 150 mm

- + Noise level (max.): 61 dB(A)re 1 pW
- + Product dimensions (WxD): 90 × 50 cm
- + Height: 50 mm
- + Min. height of the chimney: 650 mm
- + Max. height of the chimney: 960 mm
- + Annual energy consumption: 60 kWh



#### **NRK 621 STX**

Freestanding fridge freezer

















- + Colour: Grey metallic
- + Right door opening
- + Door material: Genuine Inox with TouchFree coating
- + Climate class: ST, N, T

#### **Efficiency**

- + 1 compressor
- + Total gross/net volume: 363 / 338 I
- + Capacity of cooling compartment: gross/net: 265 / 253 I
- + Capacity of freezer compartment: gross/net: 98 / 85 I
- + Freezing capacity in 24 hours: 5 kg / 24h
- + Power cut safe time: 18 h

#### Control

- + Electronic control behind the door
- + LED display
- + Sound alarm for open door
- + Digital temperature indicator for refrigerator
- + Sound and visual signal for high temperature in refrigerator: white signal

#### **Features**

- + IonAir with MultiFlow 360°
- + AdaptTech cooling: Memorizing intelligent system
- + Slot-in: possibility to put the appliance into the kitchen niche 61 cm
- + NoFrost Plus
- + FastFreeze

#### **Equipment of refrigerator**

- + Egg/Ice bin: 1 x 7
- + SimpleSlide height adjustable door shelves: 3
- + LED strip on the ceiling
- + 5 glass shelves
- + MultiShelf
- + Bottle shelf with fixed trap
- + Number of cheese and butter storage: 1 MultiBox container
- + CrispZone: vegetable drawer
- + FreshZone drawer

#### **Equipment of freezer**

- + XXL SpaceBox drawer
- + Freezing compartment: 3 drawers

#### Technical data

- + Energy consumption kWh/24h: 0,852 kWh
- + Level of noise (max.): 42 dB(A)re 1 pW
- + Dimensions (HxWxD): 200 × 60 × 64 cm



### **NRK 612 ST**

Freestanding fridge freezer















\* \*\*\*

- + Colour: Grey metallic
- + Right door opening
- + Door material: Steel, grey reflective glass
- + Climate class: SN, ST, N, T

#### **Efficiency**

- + 1 compressor
- + Total gross/net volume: 329 / 307 I
- + Capacity of cooling compartment: gross/net: 231 / 222 I
- + Capacity of freezer compartment: gross/net: 98 / 85 I
- + Freezing capacity in 24 hours: 5 kg / 24h
- + Power cut safe time: 18 h

#### Control

- + Electronic control behind the door
- + LED display
- + Sound alarm for open door
- + Digital temperature indicator for refrigerator
- + Sound and visual signal for high temperature in refrigerator: white signal

#### **Features**

- + IonAir with MultiFlow 360°
- + AdaptTech cooling: Memorizing intelligent system
- + Slot-in: possibility to put the appliance into the kitchen niche 61 cm
- + NoFrost Plus
- + FastFreeze

#### **Equipment of refrigerator**

- + Egg/Ice bin: 1 x 7
- + SimpleSlide height adjustable door shelves: 2
- + LED strip on the ceiling
- + 4 glass shelves
- + MultiShelf
- + Bottle shelf with fixed trap
- + Number of cheese and butter storage: 1 MultiBox container
- + CrispZone: vegetable drawer
- + FreshZone drawer

#### **Equipment of freezer**

- + XXL SpaceBox drawer
- + Freezing compartment: 3 drawers

- + Energy consumption kWh/24h: 0,643 kWh
- + Level of noise (max.): 42 dB(A)re 1 pW
- + Dimensions (HxWxD): 185 × 60 × 64 cm



### **NRKI 512 ST**

Built-in integrated fridge freezer

















- + Right door opening
- + Door material: Steel sheet
- + Door hinge: Door to door hinge
- + Climate class: SN, ST, N, T

#### **Efficiency**

- + 1 compressor
- + Total gross/net volume: 278 / 260 I
- + Capacity of cooling compartment: gross/net: 203 / 200 I
- + Capacity of freezer compartment: gross/net: 75 / 60 I
- + Freezing capacity in 24 hours: 7,5 kg / 24h
- + Power cut safe time: 13 h

### Control

- + Electronic control
- + LED display
- + Sound alarm for open door
- + Digital temperature indicator for freezer and refrigerator
- + Sound and visual signal for high temperature in refrigerator: red signal
- + Sound and visual signal for high temperature in freezer: red signal

#### Footures

- + NoFrost DualAdvance
- + Fan-assisted cooling in fridge
- + SuperCool
- + FastFreeze

### Equipment of refrigerator

- + LED interior light at several points on side
- + 5 glass shelves
- + 3 glass removable shelves
- + 1 half glass shelve+ Bottle shelf with fixed trap
- + 2 vegetable drawers + FreshZone drawer

## Equipment of freezer

- + Freezing compartment: 1 drawer
- + Storage compartment: 2 drawers

#### Tochnical data

- + Energy consumption kWh/24h: 0,63 kWh
- + Level of noise (max.): 41 dB(A)re 1 pW
- + Product dimensions (HxWxD):  $177,5 \times 54 \times 54,5$  cm
- + Niche dimensions min-max (HxWxD): 177,5-178 × 56-57 × 56 cm



**DPR-ST**Decor panel for refrigerator



- + Front panel material: Glass
- + Metal plastic handle
- + Handle colour: Colour of brushed stainless steel

#### Technical data

+ Dimensions (HxWxD): 179 × 59,5 × 5,7 cm



**DFD 72 ST**Dishwasher decor panel



**DFD 72 STX**Dishwasher decor panel









- + Front panel material: Glass
- + Metal plastic handle
- + Front panel material: Metal and plastic
- + Metal plastic handle

#### Technical data

+ Dimensions (HxWxD): 71,6 × 59,5 × 1,8 cm

#### Technical data

+ Dimensions (HxWxD): 71,6 × 59,5 × 1,6 cm

gorenje BY SHARCK®