

Sanitary Wares & Bathroom Accessories



Commercial Range 2019



- Alexandra Technopark
- Amara Hotel Properties
- Bukit Batok Swimming Complex
- Capella Hotel
- Certis Cisco
- Changi Airport Terminal 1
- Changi Airport Terminal 2
- Changi Airport Terminal 3
- Changi Cargo Complex
- Changi Naval Base
- Church of Singapore (Bukit Timah)
- Church of Singapore (Marine Parade)
- Clementi Stadium
- Da Ching Factory
- Fishermen of Christ Church
- Frasers Centrepoint
- Edward Lifesciences
- Employment & Employability Campus
- Goodman Arts Centre
- Grand Hyatt Hotel
- Health Promotion Board
- Holy Trinity Church
- Home Team Academy
- Hope Church Singapore
- International Plaza
- Jurong Birdpark
- Keppel Distribution Group
- Keppel Fels
- Mandarin Orchard Hotel
- Maple Tree REIT
- Micron Electronics
- Ministry of Home Affairs
- Ministry of Manpower
- MSF Youth Homes
- Nanyang Technological University
- National Computer Systems (NCS)
- National Dental Centre of Singapore
- National Library Board
- National Service Resort & Country Club
- National University of Singapore
- National University Hospital
- Nestle Singapore
- Outward Bound Singapore
- Parkway Office Building
- People's Park Complex
- Pulau Bukom
- Queensway Shopping Centre
- Republic Plaza
- Robinson Point
- Riverlife Church
- Safti Military Institute
- Singapore Discovery Centre
- Singapore Indoor Stadium
- Singapore Zoological Gardens
- Stagmont Camp
- Takasago International Corporation
- Tan Tock Seng Hospital
- Temasek Polytechnic
- Tong Lee Building
- The Centrepoint
- Tuas Checkpoint
- United World College
- Various Community Centres [Islandwide]
- Various JTC Factories [Islandwide]
- Various MRT Stations [Islandwide]
- Various Schools and Junior Colleges [Islandwide]
- Westmall Shopping Centre
- Woodbridge Hospital
- Yokogawa SE Asia
- York Hotel

Johor Bahru

- Aeon Co. (M) Bhd
- Austin Hill Resort
- Brightcon Sdn Bhd
- City Square Shopping Complex
- Damansara Assets Sdn Bhd
- Faber Facilities Management
- Hotel Grand Paragon
- Hotel Mutiara
- Hotel Puteri Pacific
- Hotel Vistaria
- Leisure Mall
- Menara Cyberport
- Octville Golf Resort
- One Medini Mall
- Pelangi Management Services
- Petronas Petrol Stations
- Plaza Pelangi
- Pulai Springs Resort
- SP Setia Eco Garden
- Sutera Mall
- Taikisha Engineering (M) Sdn Bhd
- Tesco Malaysia Sdn Bhd
- The Store Malaysia Sdn Bhd

Malacca

- Dataran Pahlawan
- Hatten Group Sdn Bhd
- Mahkota Parade
- Ramada Plaza

Kuala Lumpur


- Boulevard Hotel
- Damansara CP Tower
- Eastin Hotel
- Esso Tower
- IOI Business Park
- IOI Shopping Complex
- Malaysia Art Culture Centre
- Mid Valley Shopping Mall
- Low Yat Plaza
- Parkroyal Hotel
- Prince Hotel & Residence
- Subang Parade Shopping Complex
- Sunway Pyramid
- The Royal Bintang Kuala Lumpur

Penang


- Bayview Beach Resort
- Cititel Penang
- Eastin Hotel
- Georgetown City Hotel
- Golden Sand Resort
- Holiday Inn Resort
- Motorola Penang
- Paragon Gurney
- Park Avenue Penang
- Queensbay Shopping Mall

Self-Closing Basin Faucets




Brand	Global
Model	GL-301-3 SS2L 
Material	Chrome Plated Brass / Stainless Steel
Spout Length	110mm




Brand	Global
Model	GL-2500-3 SS 
Material	Chrome Plated Brass / Stainless Steel
Spout Length	110mm




Brand	Global
Model	GL-M2500B-3 
Material	Chrome Plated Brass / Stainless Steel
Spout Length	110mm




Brand	Global
Model	GL-M3000B-3 
Material	Chrome Plated Brass / Stainless Steel
Spout Length	130mm




Brand	Global
Model	GL-801-3 
Material	Chrome Plated Brass / Stainless Steel
Spout Length	95mm

Self-Closing Wall Faucets




Brand	Global
Model	GL-302-3 
Material	Chrome Plated Brass
Spout Length	85mm




Brand	Global
Model	GL-302L-130 
Material	Chrome Plated Brass
Spout Length	130mm




Brand	Global
Model	GL-302L-200 
Material	Chrome Plated Brass
Spout Length	200mm




Brand	Global
Model	GL-307-SH-C1 (Concealed Shower Valve) 
Material	Chrome Plated Brass
Connection	15mm




Brand	Global
Model	GL-307-SH (Shower Valve) 
Material	Chrome Plated Brass
Connection	15mm

Wall Faucets




Brand	Global
Model	GL-23-7 
Material	Chrome Plated Brass
Spout Length	85mm




Brand	Global
Model	GL-23-15 
Material	Chrome Plated Brass
Spout Length	85mm




Brand	Global
Model	GL-23-15G 
Material	Chrome Plated Brass
Spout Length	85mm



Brand	Global
Model	GL-23-7L 
Material	Chrome Plated Brass
Spout Length	85mm



Brand	Global
Model	GL-23-15L 
Material	Chrome Plated Brass
Spout Length	85mm

Other Faucets



Brand	Global	✓✓✓ Excellent
Model	GL-23-215 Basin Faucet	
Material	Chrome Plated Brass	
Spout Length	105mm	




Brand	Global	✓✓✓ Excellent
Model	GL-23-215L Handicap Basin Faucet	
Material	Chrome Plated Brass	
Spout Length	105mm	



Brand	Global	✓✓✓ Excellent
Model	GL-23-14J Sink Faucet with Swivel Spout	
Material	Chrome Plated Brass	
Spout Length	200mm	

Basin Sensor Faucets




Brand	Global
Model	EST-18-8520 
Material	Chrome Plated Brass
Operation	DC6V Lithium Battery or AC230V, 50-60Hz
Pressure	0.5 ~ 7 Bar
Spout Length	130mm



Brand	Global
Model	EST-16-B2E 
Material	Chrome Plated Brass
Operation	AC230V, 50-60Hz
Pressure	0.5 ~ 7 Bar
Spout Length	130mm



Brand	Global
Model	EST-22-B Series 
Material	Chrome Plated Brass
Operation	AC230V, 50-60Hz
Pressure	0.5 ~ 7 Bar
Spout Height	210mm, 280mm or 375mm
Spout Length	130mm or 158mm

Basin Sensor Faucets



Brand	Global
Model	EST-222-W ✓✓✓ Excellent
Material	Chrome Plated Brass
Operation	AC230V, 50-60Hz
Pressure	0.5 ~ 7 Bar
Spout Length	250mm



Brand	Inax (Japan)
Model	AM-90 (AQUA) ✓✓✓ Excellent
Material	Chrome Plated Brass
Operation	Self-Charging Technology No Battery/Power Supply Needed
Pressure	0.6 ~ 6 Bar
Spout Length	110mm

***Energy Saving**
***ZERO Electricity Consumption**



Brand	Inax (Japan)
Model	AM-90 ✓✓✓ Excellent
Material	Chrome Plated Brass
Operation	AC220V, 50-60Hz
Pressure	0.6 ~ 6 Bar
Spout Length	110mm

WC Manual Flush Valves



Brand	Global
Model	GL-400-01
Description	Exposed Lever Handle WC F/V
Connection	1" Inlet, 1.1/4" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	GL-400V+018 W51B
Description	WC F/V with Hydraulic Fittings for Box Concealed Type
Connection	1" Inlet, 1.1/4" Outlet
Material	Brass
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	FVC-400V-BHFP
Description	WC F/V with Push Button Assembly For Box Concealed Type
Connection	1" Inlet, 1.1/4" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	GL-400V+018 W50A
Description	100mm WC F/V with Hydraulic Fittings for Box Concealed Type
Connection	1" Inlet, 1.1/4" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 4.5Litre


WC Manual Flush Valves



Brand	Global
Model	GL-400V-CD6
Description	Duct Concealed WC F/V with Push Button Assembly
Connection	1" Inlet, 1.1/4" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	GL-400V-CD7
Description	Duct Concealed WC F/V with S/S Push Button Assembly
Connection	1" Inlet, 1.1/4" Outlet
Material	Brass / Stainless Steel
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	FVC-400BHFP
Description	Duct Concealed WC F/V with Push Button Assembly
Connection	1" Inlet, 1.1/4" Outlet
Material	Brass / Chrome Plated Brass
Flush Volume	Not More Than 4.5Litre

WC Manual Flush Valves



Brand	Global
Model	GL-430V-BH
Description	Box Concealed WC F/V with S/S Manual Direct Push Button
Size / Connection	L200 x W160 mm 38mm Inlet, 38mm Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	GL-400V-BH SE1
Description	Box Concealed WC F/V with 38mm Hydraulic Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	GL-410V-BH SC1
Description	Box Concealed WC F/V with 50mm Manual Direct Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre



Brand	Global
Model	GL-410V2F-BH
Description	Box Concealed WC F/V with Dual Flush Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre

WC Sensor Flush Valves



Brand & Model	Global GL-400V+E12 NP1
Description	WC F/V with One-Touch Fittings & Solenoid for Concealed Sensor F/V
Connection	1" Inlet, 1.1/4" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 4.5Litre
Pressure Range	0.7 ~ 3.0 Bar



Brand & Model	Global ESV-430V-BH
Description	Box Concealed WC Sensor F/V with S/S Manual Override Push Button
Size / Connection	200mm x 160mm 38mm Inlet, 38mm Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre
Pressure Range	1.0 ~ 3.0 Bar



Brand & Model	Global ESV-400V-BH213
Description	Box Concealed WC Sensor F/V with 38mm Manual Override Push Button
Size / Connection	210mm x 210mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre
Pressure Range	0.7 ~ 3.0 Bar



Brand & Model	Global ESV-132-BH SE1
Description	Box Concealed WC Sensor F/V with 38mm Hydraulic Push Button
Size / Connection	210mm x 210mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre
Pressure Range	0.7 ~ 3.0 Bar

WC Sensor Flush Valves



Brand & Model	Global ESV-430V-FT60
Description	Box Concealed WC F/V with LED Sensor & S/S Manual Override Push Button
Size / Connection	L200 x W160 mm 38mm Inlet, 38mm Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre
Pressure Range	1.0 ~ 3.0 Bar



Brand & Model	Global ESV-400V-FT60
Description	Box Concealed WC F/V with LED Sensor & S/S Manual Override Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre
Pressure Range	0.7 ~ 3.0 Bar




Brand & Model	Global ESV-410V-EB06/24
Description	Exposed Box WC Sensor F/V with Front/Side Hydraulic Push Button (6V/24V)
Size / Connection	260mm x 200mm x 125mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4.5Litre
Pressure Range	0.7 ~ 3.0 Bar





Urinal Manual Flush Valves




Brand	Global
Model	GL-230P 
Description	Exposed Push Button Urinal F/V
Connection	½" Inlet, ½" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 1.5Litre




Brand	Global
Model	GL-230-CD4 
Description	Duct Concealed Urinal F/V with Push Button Assembly
Connection	½" Inlet, ½" Outlet
Material	Brass
Flush Volume	Not More Than 1.5Litre




Brand	Global
Model	GL-230P SPL4 
Description	Urinal F/V with Hydraulic Fittings for Concealed Use
Size / Connection	½" Inlet, ½" Outlet
Material	Brass
Flush Volume	Not More Than 1.5Litre




Brand	Global
Model	GL-230-F15 H28 
Description	Box Concealed Manual Urinal F/V with Hydraulic Push Button
Size / Connection	150 x 150mm ½" Inlet, ½" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre

Urinal Manual Flush Valves




Brand	Global
Model	GL-638-F15 PB38 
Description	Box Concealed Urinal Sensor F/V w/ 38mm Manual Direct Push Button
Size / Connection	150 x 150mm ½" Top Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre




Brand	Global
Model	GL-638-F15 PB50 
Description	Box Concealed Urinal Sensor F/V w/ 50mm Manual Direct Push Button
Size / Connection	150 x 150mm ½" Top Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre

Urinal Sensor Flush Valves




Brand & Model	Global ESV-638-2015 BI 
Description	Exposed Urinal Sensor F/V with Electric Push Button
Connection	½" Back Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar



Brand & Model	Global ESV-638-2015 SI 
Description	Exposed Side Inlet Urinal Sensor F/V with Electric Push Button
Connection	½" Side Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar




Brand & Model	Global ESV-538-F12E 
Description	Box Concealed Urinal Sensor F/V with Electric Push Button
Size	120mm x 120mm ¾" Bottom Inlet, ¾" Bottom Outlet
Material	Stainless Steel / ABS
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar



Brand & Model	Global ESV-638-F12E 
Description	Box Concealed Urinal Sensor F/V with Electric Push Button
Size	150mm x 150mm ½" Top Inlet, ½" Bottom Outlet
Material	Stainless Steel / ABS
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar

Urinal Sensor Flush Valves



Brand & Model	Global ESV-638-FT60	
Description	Box Concealed Urinal F/V with LED Sensor & Manual Override Push Button	
Size	150mm x 150mm 1/2" Top Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	



Brand & Model	Global ESV-638-F15	
Description	Box Concealed Urinal Sensor F/V with Manual Override Push Button	
Size	150mm x 150mm 1/2" Top Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	



Brand & Model	Global ESV-638-F15E	
Description	Box Concealed Urinal Sensor F/V with Electric Push Button	
Size	150mm x 150mm 1/2" Top Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	



Brand & Model	Global ESV-638-F15 SI	
Description	Box Concealed Urinal Sensor F/V with Electric Push Button	
Size	150mm x 150mm 1/2" Side Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	

Spare Parts – Pistons for WC Flush Valve



Brand	Global
Model	CK-31320
WC Brass Piston with Brass Guide	



Brand	Global
Model	CK-31320P
WC Brass Piston with Plastic Guide for Global GL-400 Series	




Brand	Global
Model	GP-40032
WC Brass Piston with Brass Guide and Air Hole	



Brand	Global
Model	GP-41032
WC Brass Piston with Brass Guide & Loose Pin	



Brand	Global
Model	GPL-31320P
WC Brass Piston with Plastic Guide	



Brand	Global
Model	GP-31400DZR
DZR Bronze WC Piston with Bronze Guide	



Brand	Global
Model	GP-400
WC Brass Piston with Brass Guide w/o Air Hole	




Brand	Global
Model	CK-31320BZ
WC Bronze Piston with Plastic Guide and SUS316 Pin	




Brand	Global
Model	TT31320BZ
WC Bronze Piston with Bronze Guide for Japan WC Flush Valve	

Spare Parts – Pistons for WC Flush Valve



Brand	Global
Model	GP-57532
WC Brass Piston with Brass Guide & Loose Pin	




Brand	Global
Model	GP-A580-DZR
DZR Bronze WC Piston for Inax/Kakudai Flush Valves	



Brand	Inax
Model	A-3189
Japan Made WC Piston with Loose Pin	

Spare Parts – Pistons for Urinal Flush Valve



Brand	Global
Model	GP-230
Urinal Brass Piston without Air Hole	



Brand	Global
Model	GP-230-3T
Urinal Brass Piston with Air Hole	



Brand	Global
Model	GPL 311
Urinal Brass Piston	



Brand	Global
Model	CK-311S
Urinal Brass Piston with Spring	



Brand	Global
Model	GPL 311-EX
Urinal Brass Piston with Top Plug Handle	



Brand	Global
Model	UFV-115
Urinal Piston with Spring for Global ESV-638 & EST-16 Series	

Spare Parts – Pistons for Urinal Flush Valve



Brand	Global
Model	GP-638
Urinal Piston with Spring for Global GL-638 Series, without Air Hole	



Brand	Global
Model	GP-638-3T
Urinal Piston with Spring for Global GL-638 Series, with Air Hole	



Brand	Global
Model	CK-T15095
Urinal Piston for Urinal Sensor Flush valve	



Brand	Global
Model	GP-18638
Urinal Piston with Spring for Global ESV-538 Series	



Brand	Inax
Model	A-520
Japan Made Urinal Piston for Inax/Kakudai Flush Valves	

Spare Parts – Hydraulic Valves



Brand	Clippard
Model	MAV2-M5
M5 Female 2-way Hydraulic Plunger Valve	



Brand	Clippard
Model	MJV-2
1/8" Female 2-way Hydraulic Plunger Valve	

Spare Parts – Solenoids



Brand	Global
Model	SOL 2120BR-12V 2-Way Type
Voltage	12V
Connection	1/8"



Brand	Global
Model	SOL DC6V 3-Way Type
Voltage	6V
Connection	1/8"




Brand	Global
Model	SOL DC12V 3-Way Type
Voltage	12V
Connection	1/8"




Brand	Global
Model	SOL FT25-6V 2-Way Type
Voltage	6V
Connection	1/8"



Brand	Global
Model	SOL 2W40
Voltage	12V / 24V
Connection	1/8"



Brand	Global
Model	SOL FT6VL90 3-Way Type
Voltage	6V
Connection	1/8"




Brand	Inax
Model	A-1868 For Japan Urinal F/V
Voltage	3V
Connection	1/8"




Brand	Inax
Model	A-1079 For Japan Urinal F/V
Voltage	3V
Connection	1/8"


Spare Parts – Solenoids



Brand	Global
Model	SOL YF05C-12V
Voltage	12V
Connection	½" x ½"



Brand	Global
Model	SOL YF06-12V
Voltage	12V
Connection	½" x ¾"



Brand	Global
Model	SOL JMC250-6V
Voltage	6V
Connection	1/8" x 1/8"



Brand	Global
Model	SOL RG40SQ-12V Insert Type
Voltage	12V



Brand	Global
Model	SOL YF628-6V Latching Type w/ Built-In Stop Valve
Voltage	12V
Connection	½" x ½"



Brand	Global
Model	SOL FT3225V6-EC Screw-In Latching Type
Voltage	6V

Spare Parts – Push Rod Assemblies



Brand	Global
Model	PRA-TH302
Brass Push Assembly for WC Flush Valve	



Brand	Global
Model	PRA-CK302
Plastic Push Assembly for Global WC Flush Valve	



Brand	Global
Model	PRA-GL133
Brass Push Assembly for WC Flush Valve with SUS316 Push Rod	



Brand	Global
Model	PRA-KR1008
Brass Chrome Push Assembly for Inax WC Flush Valve	



Brand	Global
Model	PRA-CK302H-B
Plastic Push Assembly for Korean WC Flush Valve	



Brand	Global
Model	B01-32042
Brass Chrome Lever Handle & Nut for WC Flush Valve	

Spare Parts – Push Buttons



Brand	Global
Model	PBA-S130
Brass Chrome Push Button Assembly for Korean/Japan Urinal Flush Valves	



Brand	Global
Model	PBA-SP230
Brass Chrome Push Button Assembly for Global Urinal Flush Valves	



Brand	Global
Model	PBA-CD6
Brass Chrome Push Button Assembly with Shaft for Duct Concealed WC Flush Valve	

Spare Parts – Push Buttons



Brand	Global
Model	GPL SW630-H16
Stainless Steel Electrical Push Button Switch Available in 16/19/22mm	



Brand	Global
Model	PB-H28MB-SS
28mm Stainless Steel Manual Push Button with Adjustable Rod	



Brand	Global
Model	PB-S28J-SS
28mm Stainless Steel Hydraulic Push Button	



Brand	Global
Model	PB-H38MB-SSP
38mm Stainless Steel Manual Push Button with Adjustable Rod	



Brand	Global
Model	PB-H38HBJ-SS
38mm Stainless Steel Hydraulic Push Button	



Brand	Global
Model	PB-L44J
44mm CP Brass Hydraulic Push Button	



Brand	Global
Model	PB-H50-SS
50mm Stainless Steel Manual Push Button	




Brand	Global
Model	PB-2WMV
14mm CP Brass Mini Push Button Switch	



Brand	Global
Model	GPL PB301-SS
Stainless Steel Push Button for Self-Closing Tap	

Spare Parts – Sensor Eyes



Brand	Global
Model	ES-AF9530-UR Urinal Sensor Eye
Input	12V / 24V
Output	3V / 6V




Brand	Global
Model	ES-AF9530-WC WC Sensor Eye
Input	12V / 24V
Output	3V / 6V



Brand	Global
Model	ES-FT1224-UR Urinal Sensor Eye
Input	12V ~ 32V
Output	12V ~ 32V



Brand	Global
Model	ES-FT1224-WC WC Sensor Eye
Input	12V ~ 32V
Output	12V ~ 32V



Brand	Global
Model	ES-FT70UR-6V Urinal Sensor Eye
Input	6V
Output	6V



Brand	Global
Model	ES-FT70WC-6V WC Sensor Eye
Input	6V
Output	6V

Spare Parts – One Touch Fittings



Model	PL 04M5C
Size	M5 x 4mm



Model	PL 0401C
Size	1/8" x 4mm



Model	PC 04M5C
Size	M5 x 4mm



Model	PC 0401C
Size	1/8" x 4mm



Model	PUL 04C
Size	4mm x 4mm



Model	PUT 04C
Size	4mm x 4mm x 4mm



Model	PT 04M5C
Size	4mm x 4mm x M5



Model	PT 0401C
Size	4mm x 4mm x 1/8"



Model	PL 06M5C
Size	M5 x 6mm



Model	PL 0601C
Size	1/8" x 6mm



Model	PC 06M5C
Size	M5" x 6mm



Model	PC 0601C
Size	1/8" x 6mm



Model	PUL 06C
Size	6mm x 6mm



Model	PUT 06C
Size	6mm x 6mm x 6mm



Model	PT 06M5C
Size	6mm x 6mm x M5



Model	PT 0601C
Size	6mm x 6mm x 1/8"



Model	PCG 0601
Size	1/8"Fe x 6mm



Model	PLF 0601
Size	1/8"Fe x 6mm



Model	PCJ 04M5
Size	M5 x 4mm



Model	PCJ 0401
Size	1/8" x 4mm

Spare Parts – Miscellaneous



Brand	Global
Model	TFR-DC24V-300MA
Descrp	300MA Step Down 2-Pin Transformer
Input Output	220V ~ 240V 24V



Brand	Global
Model	TFR-DC24003PQ
Descrp	300MA Step Down 3-Pin Transformer
Input Output	220V ~ 240V 24V



Brand	Global
Model	TFR-DC06GPL-3P3
Descrp	300MA Step Down 3-Pin Transformer
Input Output	220V ~ 240V 6V




Brand	Global
Model	GPL V5A
Descrp	Vacuum Breaker for WC Flush Valve
Conn.	32mm



Brand	Global
Model	Piston GP301-3
Descrp	Brass Piston Valve for Self-Closing Tap Available in 3/9/15 Secs



Brand	Inax
Model	H-94
Descrp	Ceramic Grating for Urinal Bowl



Brand	Global
Model	ES-RK3830EC-6V
	DC6V Sensor Unit (ECO)



Brand	Global
Model	ES-ST16A-3
	Sensor Unit for Global EST-16-B2E Sensor Tap



Brand	Global
Model	ES-ST16FT-6E
	Sensor Unit for Global EST-18-8520 Sensor Tap

Spare Parts – Miscellaneous



Brand	Global
Model	TH 92025
Rubber Cup Washer for WC/Urinal Piston	



Brand	Global
Model	TH 23022
Rubber Cup Washer for Urinal Piston	



Brand	Global
Model	TH 95853
Rubber Cup Washer for Urinal Sensor Piston	



Brand	Inax
Model	50-2073-1
Rubber Cup Washer for WC Piston	



Brand	Inax
Model	50-56
Rubber Cup Washer for Inax A-580 Piston	



Brand	Inax
Model	50-837
Rubber Cup Washer for Inax A-538 Piston	



Brand	Global
Model	LK TC701
Large Cam Lock with Key	



Brand	Global
Model	LK-XYZ-19
19mm Mini Cam Lock with Key	



Brand	Global
Model	LK-XYZ-16
16mm Mini Cam Lock with Key	

Other Accessories



Brand	Mediclinics
Model	MED 88A PLUS
Descrp	Wall Mounted Automatic Hand Dryer
Voltage	220V ~ 240V
Power	1640W
Size	302 x 253 x 153 (mm)



Brand	Mediclinics
Model	MED M12A
Descrp	Wall Mounted Automatic High Speed Hand Dryer
Voltage	220V ~ 240V
Power	420W
Size	656 x 320 x 226 (mm)



Brand	Mediclinics
Model	MED DJ0010F
Descrp	Wall Mounted Plastic Soap Dispenser
Capacity	1 Litre
Size	204 x 107 x 108 (mm)



Brand	American Specialties
Model	ASI-0347
Descrp	Wall Mounted Stainless Steel Soap Dispenser
Capacity	1 Litre
Size	205 x 135 x 100 (mm)

Other Accessories



Brand	American Specialties
Model	ASI-0332
Descrp	Undercounter Soap Dispenser
Capacity	1 Litre
Spout Length	4" or 6"



Brand	American Specialties
Model	ASI-9012
Descrp	Baby Changing Station
Material	Non Porous Plastic
Size	920 x 570 x 100 (mm)




Brand	Global
Model	GP-53
Descrp	Wall Mounted Paper Towel Dispenser
Material	Stainless Steel 304
Size	345 x 280 x 102 (mm)



Brand	Global
Model	VIC-PH9921
Descrp	Wall Mounted Jumbo Toilet Roll Holder
Material	Stainless Steel 304
Size	257 x 115 (mm)

Other Accessories



Brand	Global
Model	GFV-N01
Descrp	Double Foot Valve
Material	Chrome Plated Cast Brass
Connection Size	1/2"



Brand	Global
Model	GFV-N02
Descrp	Single Foot Valve
Material	Chrome Plated Cast Brass
Connection Size	1/2"



Brand	Global
Model	GFV-N03
Descrp	Single Knee Valve
Material	Chrome Plated Cast Brass
Connection Size	1/2"



Brand	Global
Model	GSW-Q04-38
Descrp	Twist Lever Handle Sink Waste
Material	Chrome Plated Cast Brass
Connection Size	1/2"

Pre-Rinse Units



Brand	Global
Model	PRU-DF5-S4
Single Hole Heavy Duty Pre-Rinse Unit (Cold Water Only)	
Conn.	1/2"

Brand	Global
Model	PRU-DX7-S4
Single Hole Heavy Duty Pre-Rinse Mixer Unit	
Conn.	1/2"

***For Export Only**

Pre-Rinse Units



Brand	Global
Model	PRU-DX10-S4
8" Centre, Two Hole Heavy Duty Pre-Rinse Mixer Unit	
Conn.	1/2"

Brand	Global
Model	PRU-WX6-S4
8" Centre, Two Hole Heavy Duty Wall Mounted Pre-Rinse Mixer Unit	
Conn.	1/2"

***For Export Only**

GLOBAL

PLUMBING FITTINGS & SANITARY WARES